

WEAPON SLING SYSTEM 1.0

MANUAL-A



SNIGEL

This is the weapon sling SYSTEM that can be used in many different ways depending on your weapon, mission and personal preferences.

It is comfortable and fast to use as a stand alone product or connected to your vest or plate carrier.



FEATURES

- * Padded shoulder/neck pad gives great comfort when carrying the weapon even for extended periods.
- * Muzzle holder with elastic cord built into the shoulder/neck pad keeps the weapon tight on your chest when you need that.
- * Side release buckles makes it easy and fast to change configurations.
- * With a vest strap mounted on the vest the weapon can be carried attached to the vest. This takes the uncomfortable load off the neck common with ordinary weapon slings.
- * The sling is adjustable in both ends.
- * The system includes two vest attachment straps, which can be attached at each shoulder. The weapon can then be carried hanging centred or at one shoulder, right or left.

VERSIONS

Black= 34-01586A01-000
Grey= 34-01586A09-000
Olive= 34-01586A17-000
Multicam= 34-01586A56-000
All colours are IRR.

WEIGHT

200 g.

MATERIAL

Fabric: 100% polyamide PU coated
Webbing: 100% polyester.





A. Shoulder/neck pad with closed cell foam is comfortable and does not absorb water.

B. Elastic storage pocket for foam ear plugs. It is always good to have a spare pair with you.

C1. Male side release buckle connection between the shoulder/neck pad and the attachment strap or vest strap and attachment straps.

C2. Female side release buckle connection between the shoulder/neck pad and the attachment strap or vest strap and attachment straps.

D1. Butt-stock end attachment strap.

D2. Muzzle end attachment strap.

E. Silent weapon connection loop.

F. Carabiner to attach the attachment strap in the weapon.

G1. Male vest strap.

G2. Female vest strap.

H. Velcro roll up ends to keep the straps in an individually adjusted length.

I. Pull tab with a tactical bump to make it easy to grab.

J. Elastic muzzle holder with pull tab. Keeps a weapon tight to your body when carried in a sling.

K. Tri glide buckle to adjust the length of the straps.

CONFIGURATIONS

WEAPON SLING SYSTEM 1.0, 34-01586A



Two point configuration.

These components are used:

Shoulder pad, attachment straps and silent weapon connection loop(s) and/or carabiner(s).



Two point configuration.

The rifle carried with the sling mounted in the front and the back.

Adjust the length of each attachment strap.



Two point configuration.

The sling is mounted in the front and either in the back of the butt-stock or to the rear of the receiver.

Note: J= Elastic muzzle holder end.



One point configuration.

These components are used:

Shoulder pad, attachment straps and silent weapon connection loop(s) and/or carabiner(s).



One point configuration.

The sling is mounted to the rear of the receiver, not at the butt-stock as the weapon will hang too low.



One point configuration.

The sling is mounted to the rear of the receiver with both attachment straps connected together.



One point configuration.

Details of the connection with the silent weapon connection loop used.



One point configuration.

With the muzzle attached in the elastic muzzle holder. Keeps the weapon tight on your chest.

Note: Do not do this when the muzzle is hot.



One point configuration.

Detail of the elastic muzzle holder.

CONFIGURATIONS

WEAPON SLING SYSTEM 1.0, 34-01586A



Single point neck configuration.

These components are used:

Shoulder pad, attachment straps and silent weapon connection loop(s) and/or carabiner(s).



Single point neck configuration.

The neck/shoulder pad hanging on your neck.



Single point neck configuration.

Connect them like this:

Used with silent weapon connection loops and one carabiner.



Single point shoulder config.

The same set up as the single point neck configuration, but adjusted longer.



Single point shoulder config.

The weapon is connected to the attachment straps with one silent weapon connection loop and it rides along the webbing, keeping the neck pad in place when you move the weapon.



Single point shoulder config.

The weapon pulled down along the attachment strap.

Note: Only one attachment strap with two side release buckles is used.



Unpadding configuration.

These components are used, adjusted as long as possible.

It is a tight fit.

Used with one silent weapon connection loop.



Unpadding configuration.

The two attachment straps connected and mounted in the weapon.



Unpadding configuration.

The side release buckles will end up in your neck.

CONFIGURATIONS

WEAPON SLING SYSTEM 1.0, 34-01586A



One side vest configuration.

These components are used:

One attachment strap and one silent weapon connection loop and/or carabiner.



One side vest configuration.

The weapon is mounted with one attachment strap and connected with the vest with one vest strap.



One side vest configuration.

Attach the vest strap in the back of the vest/plate carrier.



One side vest configuration.

The attachment strap is mounted to the rear of the receiver.



Centre vest configuration.

These components are used:

Two attachment straps and one or two silent weapon connection loop and/or carabiner.



Centre vest configuration.

The weapon is mounted with one attachment strap and connected with the vest with one vest strap.



Centre vest configuration.

Attach the vest straps in the back of the vest/plate carrier.

The vest straps can be tucked into the all the shoulder channels for greater comfort.



Centre vest configuration.

The attachment straps are mounted to the rear of the receiver.

Used with one silent weapon attachment sling.



Opt. centre vest configuration.

Only use one attachment strap but with two side release buckles.



Silent weapon connection loops.

To get a rattle free connection use these loops.



Carabiner connection.

The carabiners gives you a easy and fast way to change configurations.



Direct connection

Were possible you can also thread the webbing through the weapon directly.



Snap hook connection.

A snap hook is not supplied with the weapon sling system, but can be used. The weapon can be "free" with the snap hook and slide along the attachment straps.



Silent weapon connection loops.

The weapon can be "free" with the loop and slide along the attachment straps.



Weapon moving along the strap.

When mounted with a carabiner, one silent weapon connection loop or a snap hook with ONE attachment strap with two side release buckles the weapon can slide along the attachment straps.



Ear plug compartment.

Store a pair of extra ear plugs in this elastic pocket.



Length adjustment of strap.

Open up the Velcro tabs and adjust the webbing to the length you want.- long enough to use but as short as possible. Roll up and close the Velcro tabs.



Store cable ties .

Two cable ties can be stored in the shoulder pad.